

DRS 10-DRS 30 ROTARY SCREW COMPRESSOR

MODEL	DRIVE MOTOR	SCFM		DRIVE CONFIG.	MOTOR	MOUNT	TANK SIZE	DIMENSIONS L x W x H	WEIGHT	SOUND	CONTROLLER	VOLTAGE 60 HZ	
	HP	100 PSI	135 PSI		RPM		GAL	INCHES	LBS.	DBA		SINGLE PHASE	THREE PHASE
DRS 10	10	34	34	DIRECT	3500	BASE	N/A	NA	NA	68	CSC300	230	200/230 /460
							AS	80	66 x 26 x 51				
DRS 15	15	53	51	BELT	3450	BASE	N/A	41 x 27 x 37	591	69		N/A	
							AS	120	77 x 27 x 63				
DRS 20	20	66.3	65	BELT	3510	BASE	N/A	35 x 33 x 51	1417	73		N/A	
							AS	120 240	35 x 75 x 77 35 x 92 x 83				
DRS 25	25	88.1	86.7	BELT	3510	BASE	N/A	35 x 33 x 51	1417	74		N/A	
							AS	120 240	35 x 75 x 77 35 x 92 x 83				
DRS 30	30	104.8	102.7	BELT	3510	BASE	N/A	35 x 33 x 51	1417	74		N/A	
							AS	120 240	35 x 75 x 77 35 x 92 x 83				

NOTES: Air System includes Air Receiver, Pre-Filter & Refrigerated Air Dryer
AS = Air System

DRS40-DRS50 ROTARY SCREW COMPRESSOR

MODEL	DRIVE MOTOR HP	SCFM 100 PSI	SCFM 130 PSI	SCFM 145 PSI	SCFM 175 PSI	DRIVE CONFIG.	MOUNT	DIMENSIONS L x W x H INCHES	WEIGHT LBS.	SOUND DBA	THREE PHASE VOLTAGE 60 HZ
DRS40	40	181.7	167.1	158.8	N/A	DIRECT	Base	63.1 x 36.6 x 67.8	1950	74	230/460
DRS50	50	222.8	217.3	205.6	187.6	DIRECT	Base	63.1 x 36.6 x 67.8	1968	74	230/460

DRS75-DRS100 ROTARY SCREW COMPRESSOR

MODEL	DRIVE MOTOR HP	SCFM 100 PSI	SCFM 125 PSI	SCFM 145 PSI	DRIVE CONFIG.	MOUNT	DIMENSIONS L x W x H INCHES	WEIGHT LBS.	SOUND DBA	CONTROLLER	THREE PHASE VOLTAGE 60 HZ
DRS75	75	315.1	286.7	263.6	DIRECT	BASE	79 x 47 x 79	3420	74	CSC300	460
DRS100	100	445.8	396.3	366.6	DIRECT	BASE	79 x 47 x 79	3865	75	CSC300	460

DRS200 ROTARY SCREW COMPRESSOR

MODEL	DRIVE MOTOR HP	SCFM 100 PSI	SCFM 125 PSI	SCFM 145 PSI	DRIVE CONFIG.	MOUNT	DIMENSIONS L x W x H INCHES	WEIGHT LBS.	SOUND DBA	CONTROLLER	THREE PHASE VOLTAGE 60 HZ
DRS200	200	923	894	840	DIRECT	BASE	114 x 62 x 79	8330	79	CSC300	460